

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14	HIROSE-YUKITOSHI.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:26
S2	1	HIROSE-YUKITOSHI.in. and (memory adj module.clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:26
S3	7508	(711/115,154,112 365/230.05,63). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:30
S4	259	S3 and (unidirectional\$2 uni-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:31
S5	701	711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:31
S6	36	S5 and (unidirectional\$2 uni-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:35
S7	1366	switch\$3 with (unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:58
S8	1	S7 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:57

EAST Search History

S9	15199	(unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:58
S10	19	S9 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:39
S11	8758	(hot near2 (plug\$4 swap\$4 add addable upgrade\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:45
S12	171	S9 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:45
S13	20	S7 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:49
S14	654	S11 and (memory near2 module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:44
S15	1383	S11 and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:44
S16	47	S9 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:44

EAST Search History

S17	4	S9 and S11 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:45
S18	37	S5 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:49
S19	19527	(unidirectional\$2 uni-directional\$2) same (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:56
S20	24	S19 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:57
S21	1317	(unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2) with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:58
S22	82	switch\$3 with (unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2) with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:52
S23	2	S22 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 20:00
S24	3461	(replac\$3 switch\$3 remov\$3 mov\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:00

EAST Search History

S25	883	(replac\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:12
S26	40	S25 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:04
S27	1	S26 and ((copy\$3 copied) with disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:05
S28	19	S25 and ((copy\$3 copied) with disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:08
S29	25	S25 and ((copy\$3 copied backup back-up (back adj up)) with disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:18
S30	18	("5051887" "5390187" "5544347" "5553231" "5588110" "5615329" "5632013" "5692155" "5742792" "5761705" "5802561" "5864657" "5913927" "5917723" "6108684" "6199074").PN. OR ("6571324").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/28 20:11
S31	714	(replac\$3) near3 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:13
S32	18	S31 and ((short near2 circuit) short-circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:14

EAST Search History

S33	81	S5 and (copy\$3 copied backup back-up (back adj up)) with (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:36
S34	5	S33 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:25
S35	4	S5 and dummy near2 (module cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:28
S36	5	S5 and dummy near5 (module cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:32
S37	6	S24 same (dummy near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:29
S38	116	S24 and ((short-circuit) short near2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:32
S39	11	S5 and ((short-circuit) short near2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:32
S40	16	S5 and ((module cartridge) with (copy\$3 copied backup back-up (back adj up)) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:35

EAST Search History

S41	8	S5 and (mirror\$3) with (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:38
S42	1547	(module cartridge) same ((mirror\$3) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:39
S43	919	(module cartridge) with ((mirror\$3) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:45
S44	16	S43 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:45
S46	459	S11 and ((copy\$3 copied backup back-up (back adj up)) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:50
S47	32	S11 and ((module cartridge) with ((copy\$3 copied backup back-up (back adj up)) with (disk drive)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57
S48	3	S11 and (memory near2 (module cartridge) with ((copy\$3 copied backup back-up (back adj up)) with (disk drive)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:52
S49	231	memory near2 (module cartridge) with ((copy\$3 copied backup back-up (back adj up)) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57

EAST Search History

S50	28	S49 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:53
S51	337	S11 and ((mirror\$3) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57
S52	32	S11 and ((module cartridge) with ((mirror\$3) with (disk drive)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57
S53	21	memory near2 (module cartridge) with ((mirror\$3) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57
S54	7508	(711/115,154,112 365/230.05,63). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:52
S55	82	switch\$3 with (unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2) with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:52
S56	2	S55 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:55
S57	18	("5051887" "5390187" "5544347" "5553231" "5588110" "5615329" "5632013" "5692155" "5742792" "5761705" "5802561" "5864657" "5913927" "5917723" "6108684" "6199074").PN. OR ("6571324"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/29 16:53

EAST Search History

S59	5	S57 and memory near2 (module cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:55
S60	86569	(copy\$3 back\$3-up (back\$3 near2 up) mirror\$3) with (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:01
S61	94182	(copy\$3 backup back\$3-up (back\$3 near2 up) mirror\$3) with (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:02
S62	233	(copy\$3 backup back\$3-up (back\$3 near2 up) mirror\$3) with (disk drive) with (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:01
S63	3462	(replac\$3 switch\$3 remov\$3 mov\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:28
S64	143	S63 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:02
S65	52	S64 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:20
S66	15200	(unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:03

EAST Search History

S67	12	S64 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:03
S68	5	S64 and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:21
S69	21	S63 and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:21
S70	2	"5974506".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:31
S71	461	(mirror\$3 copy\$3) near3 cache with disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:32
S72	35	(mirror\$3 copy\$3) near3 ((cache memory) near2 (module cartridge)) with disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:41
S73	5	(mirror\$3 copy\$3) near3 ((memory) near2 (module cartridge)) near5 (disk drive HDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:43
S74	25	(mirror\$3 copy\$3) near3 ((memory) near2 (module cartridge)) with (disk drive HDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:47

EAST Search History

S75	1361	"ring bus"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:46
S76	701	711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:46
S77	3	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:47
S78	19528	(unidirectional\$2 uni-directional\$2) same (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:47
S79	60	S75 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:49
S80	1366	switch\$3 with (unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 19:55
S81	2	S75 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:52
S82	4	S63 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 19:54

EAST Search History

S83	14	711/115.ccls. and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:10
S84	10	711/115.ccls. and 711/162.ccls. and disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:10
S85	372	S63 and (access\$3 read\$3) near5 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:29
S86	82	S64 and (access\$3 read\$3) near5 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:31
S87	4	S64 and ((access\$3 read\$3) near5 (disk)) and 711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:30
S88	3	S64 and ((access\$3 read\$3) near5 (disk)) and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:30
S89	70	S64 and (access\$3 read\$3) near3 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:32
S90	883	(replac\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:33

EAST Search History

S91	15	S90 and S61 and (access\$3 read\$3) near3 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:33
S93	19	S80 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:31
S94	24	switch\$3 with (monodirectional\$2 mono-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 19:56
S95	3	(dummy near2 (module cartridge)) same (short-circuit (short near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:33
S96	34	(dummy near2 (module cartridge)) same (close)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:33
S97	84	(dummy near2 (module cartridge)) same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:38
S98	29	S97 and ("711".clas. "365".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:36
S99	14	(null near2 (module cartridge)) same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:39

EAST Search History

S10 1	4968	memory near graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 2	3	S101 and 711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:47
S10 3	328	S101 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 4	3462	(replac\$3 switch\$3 remov\$3 mov\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 5	29	S101 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 6	11891	memory near2 graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 7	58	S106 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 8	14	(mirror\$3 copy\$3) with (module cartridge) with ((open free unused unallocated) near2 (area memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:06

EAST Search History

S10 9	10983	(short-pin) (short near2 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:06
S11 1	54	S109 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:18
S11 2	702	711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:07
S11 3	13	S109 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:49
S11 4	576	S109 with ((short-circuit) (short near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:46
S11 5	41	S114 same (memory (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:34
S11 6	2	S114 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:21
S11 7	145	IRSS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:21

EAST Search History

S11 8	9	S112 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:21
S11 9	17	S117 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:21
S12 0	920	S109 with circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:33
S12 1	68	S120 same (memory (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:42
S12 2	6601	((short-circuit) (short near2 circuit)) near2 (device connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:41
S12 3	1	S122 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:41
S12 4	1	S122 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:46
S12 5	96	S122 and "365".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:41

EAST Search History

S12 6	404	S122 same (memory (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:42
S12 7	12	S122 same (memory (module cartridge)) same insert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:42
S12 8	1	(pin with ((short-circuit) (short near2 circuit))) and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:46
S12 9	4	(pin with ((short-circuit) (short near2 circuit))) and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:47
S13 0	28	S122 and "714".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:47
S13 1	135	S109 with close	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:50
S13 5	1	FET and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:49
S13 8	30	FET and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:09

EAST Search History

S13 9	10905	FET near2 switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:10
S14 0	8	S139 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:09
S14 1	28	(FET near2 switch) with memory near2 (module cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:14
S14 2	24	\$3FET and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:12



Web Images Groups News Froogle Maps more »

"ring bus" "memory module"

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 166 for "ring bus" "memory module". (0.12 seconds)

[PDF] [Design of A Novel Real-Shared Memory Module for High Performance ...](#)

File Format: PDF/Adobe Acrobat

real-shared **memory module** called “RSMM”. 2. Mutliport **Ring-Bus** Architecture. In this design, we implement the data sharing ...
doi.ieeecomputersociety.org/10.1109/AINA.2004.1283795 -

Similar pages

Design of A Novel Real-Shared **Memory Module** for High Performance ...

We propose a novel real-shared **memory module** with multiports which is called ... to utilize the high bandwidth "multiport **ring-bus**" architecture in order to ...

csdl.computer.org/comp/proceedings/aina/2004/2051/02/205120241abs.htm - Similar pages

Signal processing system including a bus control module - Patent ...

A signal processing system that includes a **ring bus**; a multiplicity of system ... information to any bulk **memory module**, which is a global-high density, ...

www.freepatentsonline.com/4821174.html - 53k -

Cached - Similar pages

Dual-port buffer-to-memory interface - Patent 6742098

Methods and apparatus for a memory system using a new **memory module** architecture are ... An advantage of the **ring bus** architecture is that it allows ...

www.freepatentsonline.com/6742098.html - 57k -

Cached - Similar pages

[More results from www.freepatentsonline.com]

Design of a novel real-shared memory module for high performance ...

File Format: Unrecognized

evaluate the performance of **memory module**. Shared. Memory. Element(64Kbyte). Interface. Control Unit. **Ring Bus**. Interface Unit ...
ieeexplore.ieee.org/iel5/9028/28653/01283795.pdf?arnumber=1283795
 - Supplemental Result - Similar pages

ATI Enters The X1000 Promised Land | Tom's Hardware

Described as a **"ring bus,"** this new superhighway allows for traffic to not ... The memory controller then sends a command to the correct **memory module.** ...

www.tomshardware.com/2005/10/06/ ati_enters_the_x1000_promised_land/page9.html - Similar pages

www.hardwarezone.com® :: Articles - Coolest Hardware, Hottest Reviews

This is none other than ATI's new **Ring Bus** memory architecture, arguably one of ... architecture when such graphics mem ry module are in mass production. ...

Sponsored Links

Memory Modules For Less
Save On Memory Modules!
Free Memory Module Analysis
www.UpgradeMemory.com

Memory Modules
Search Our Huge Selection of
Quality Electronic Components Today
www.digikey.com

Crucial Memory Upgrades
The Crucial Memory Advisor Tool
Finds The Right Upgrade For You.
Crucial.com


Ram Bus
Automatically Find 100% Compatible
Memory, Great Deals, Free Shipping
www.4AllMemory.com

Tiffany & Co. Rings
Shop the Official Tiffany & Co.
site for Tiffany rings.
www.Tiffany.com

512MB DDR Ram \$35
Catch this Amazing Deal - Ultra
512MB DDR Memory - Buy Now!
www.tigerdirect.com

Memory Ring
Bargain Prices.
You want it, we got it!
BizRate.com

[Sign in](#)

	Web Images Groups News Froogle Maps more »	
	<table border="1"><tr><td><input "memory="" module"="" type="text" value="daisy chain"/></td><td>Search Advanced Search Preferences</td></tr></table>	<input "memory="" module"="" type="text" value="daisy chain"/>
<input "memory="" module"="" type="text" value="daisy chain"/>	Search Advanced Search Preferences	

Web

Results 1 - 10 of about **16,800** for **"daisy chain" "memory module"**. (0.22 seconds)

Glossary Search Results

Daisy Chain - In computer terminology, this refers to connecting one device ... DIMM (Dual In-Line **Memory Module**) - A circuit board with memory chips on it, ...
www.geek.com/glossary/glossary_search.cgi?d - 123k - May 28, 2006 - [Cached](#) - [Similar pages](#)

Sponsored Links

[Memory Modules For Less](#)
[Save On Memory Modules!](#)
[Free **Memory Module** Analysis](#)
www.UpgradeMemory.com

Soft Configuration Enhances Flexibility of Handheld

Computer Memory

These lines are used in a serial **"daisy chain"** to establish an order as ... assume that an HP-71B is configured with a 4K-byte plug-in **memory module** in port ...

www.hpmuseum.org/journals/71b.htm - 20k - [Cached](#) - [Similar pages](#)

[Crucial Memory Upgrades](#)
[Our System Scanner Finds The Right Upgrade For You. Plus Free Shipping](#)
Crucial.com

[Memory Necklace](#)
[Memory Necklace](#)
[100% return guarantee. Shop today!](#)
www.CollectiblesToday.com

(WO 2004/109525) MEMORY MODULE ARCHITECTURE

DAISY CHAIN TOPOLOGY ...

(54), **MEMORY MODULE ARCHITECTURE DAISY CHAIN TOPOLOGY** DETECTS AND REPORTS PRESENCE OF OUTER **MEMORY MODULE** TO INNER MODULE ...

[www.wipo.org/ipdl/IPDL-CIMAGES/view/pct/getbykey5?](http://www.wipo.org/ipdl/IPDL-CIMAGES/view/pct/getbykey5?KEY=04/109525.050127)
[KEY=04/109525.050127](#) - 33k - [Cached](#) - [Similar pages](#)

[PDF] Rambus 32 and 64 bit RIMM Module

File Format: PDF/Adobe Acrobat - [View as HTML](#)

supplied from a **memory module**: increased width and frequency. ... sequencing in **daisy chain** between devices, A clock, SCK, and a command signal. ...

www.rambus.com/downloads/RIMM3264_06.12.pdf - [Similar pages](#)

[PDF] Microsoft PowerPoint - RDRAM Module.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Memory Module(M). 2. Module Configuration. D : 32 bit RIMM ... DS : **DAISY CHAIN MDL**. G6 : 53.3ns/ 600Mbps (300MHz). K7 : 45ns/ 711Mbps (356MHz) ...

www.samsung.com/Products/Semiconductor/Support/Label_CodeInfo/RDRAM_Module.pdf
- [Similar pages](#)

VFBGA - Daisy Chain

Memory Module Support · **Advanced Bus Interface** · **Device Nomenclature** ... VFBGA:

Daisy Chain. clear gif. **Daisy Chain Net Lists**. Related Products. - Military ...

[focus.ti.com/logic/docs/ generalcontent.tsp?](http://focus.ti.com/logic/docs/generalcontent.tsp?templateId=5985&navigationId=11442&contentId=4149)

[templateId=5985&navigationId=11442&contentId=4149](#) - 50k - [Cached](#) - [Similar pages](#)

LFBGA - Daisy Chain Net Lists

Memory Module Support ... TI Home > Logic > Logic Packaging > LFBGA > **Daisy Chain** Net Lists. ADD TO MYTI. LFBGA: **Daisy Chain Net Lists**. clear gif ...

[focus.ti.com/logic/docs/ generalcontent.tsp?](http://focus.ti.com/logic/docs/generalcontent.tsp?templateId=5985&navigationId=11443&contentId=4143)

[templateId=5985&navigationId=11443&contentId=4143](#) - 50k - [Cached](#) - [Similar pages](#)

GE Security Products - Computer Accessories

GE Security offers a 512 Mb **Memory M dule** For Poweredge 2600. ... GE Security offers a

